


Subset-Saturated Transition Cost Partitioning

Dominik Drexler,^{1,2} Jendrik Seipp,^{1,3} David Speck²

¹Linköping University, ²University of Freiburg, ³University of Basel,
{dominik.drexler, jendrik.seipp}@liu.se, speckd@informatik.uni-freiburg.de



In a Nutshell

- ▶ Optimal classical planning
- ▶ A* search with admissible heuristic
- ▶ Multiple heuristics capture different aspects of task
- ▶ Beneficial to combine information of these heuristics
- ▶ Cost partitioning allows admissible combination
- ▶ Greedy method: saturated cost partitioning
- ▶ **Contribution:** combine two orthogonal generalizations

Induced Transition System

A Planning task Π induces a **weighted transition system** $\mathcal{T} = \langle S, L, T, s_0, S_*, ocf \rangle$ with

- ▶ S : set of **states**, L : set of **operator labels**
- ▶ T : set of **transitions** $T \subseteq S \times L \times S$,
- ▶ $s_0 \in S$: **initial state**, $S_* \subseteq S$ set of **goal states**,
- ▶ $ocf : L \rightarrow \mathbb{R}$ the **operator costs** (nonnegative)

Opt. solution for Π corresp. to path $\langle s_0, l_1, s_1 \dots, l_n, s_n \rangle$ in \mathcal{T} where $s_n \in S_*$ with cheapest cost $\sum_{i=1}^n ocf(l_i)$.

Abstractions and Heuristics

- ▶ $h(ocf, s)$ is goal distance estimate of state s in S
- ▶ h is **admissible** if $h(ocf, s) \leq h^*(ocf, s)$ for all states s and h^* is perfect estimate
- ▶ **Abstraction** is simpler version of task where a partitioning of the states S defines the abstract states
- ▶ **Abstraction heuristic** maps states to goal distance of corresponding abstract state in the abstraction
- ▶ Abstraction heuristics are admissible

Saturated Cost Partitioning SCP

- ```

for heuristic h in sequence h_1, \dots, h_n do
 $ocf_i \leftarrow \text{saturate}(h, ocf)$
 $ocf \leftarrow ocf - ocf_i$
end for

▶ saturate computes a fraction ocf_i of ocf which preserves $h(ocf, s)$ of (later: subset of) all states S
▶ $\langle ocf_1, \dots, ocf_n \rangle$ is a cost partitioning (CP)
▶ CP property: $\forall l \in L : \sum_{i=1}^n ocf_i(l) \leq ocf(l)$
▶ $h_1(ocf_1, s) + \dots + h_n(ocf_n, s)$ is admissible

```

## Generalizations of SCP

|           |     | generalization (2)      |                                    |
|-----------|-----|-------------------------|------------------------------------|
|           |     | all states              | subset of states                   |
| operators | (a) | saturated operator CP   | (b) subset-saturated operator CP   |
|           | (c) | saturated transition CP | (d) subset-saturated transition CP |
|           |     |                         |                                    |

### (1) Costs partitioned among transitions


- ▶ *saturate* returns  $tcf_i : T \rightarrow \mathbb{R}$  instead of  $ocf_i$
- ▶ More economical: often uses fewer costs
- ▶ Tractability depends on  $tcf_i$ , often manageable

### (2) Saturate for subset of states $S'$

- ▶ E.g. reachable, closer to goal, or single state
- ▶ *saturate* preserves estimates of only states  $S'$
- ▶ More economical: often uses fewer costs

## Our Contributions

### ▶ Unify (1) and (2)



- ▶ initial costs  $ocf(l) = 1$  for all  $l \in L$
- ▶ edge and node denotations (b),(c),(d)
- ▶ (b) and (d) saturate for reachable states
- ▶  $h(s_0)$ :  $h^{(b)} = h^{(c)} = 2 + 0 < 2 + 1 = h^{(d)}$

### ▶ Fast computation of $h(tcf, s)$

- ▶ Backward search in abstraction avoiding abstract weight computations
- ▶ make use of lower bound 0 because  $tcf$  is always nonnegative
- ▶ **Restrictions on  $tcf_i$  (as alternative to  $ocf_i$ )**
  - ▶ heuristic estimate in unsolvable state is  $\infty$  independent of  $tcf_i$
  - ▶ almost no value in cost assignment  $\neq 0$

## Experiments

|     | (a) | (b) | (c) | (d) |
|-----|-----|-----|-----|-----|
| (a) | —   | 47  | 164 | 59  |
| (b) | 488 | —   | 390 | 55  |
| (c) | 345 | 236 | —   | 34  |
| (d) | 683 | 400 | 482 | —   |

Coverage 1056 1061 1024 1083